

MATERIAL SAFETY DATA SHEET


Introductory Details

Page 1 of total 7
Date of preparation : 26 April 2004
Date revised : 17 October 2008

SECTION 1 : CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

1.1 Product Details

Product Name : Molinate 10% G
Trade Name : ORDRAM 10-G
Chemical Name : S-ethyl hexahydro-1H-azepine-1-carbothioate
Chemical Formula : $C_2H_5SCONC_6H_{12}$
Molar Mass : 187
Chemical Family : Thiocarbamate
Manufacturer's Code : -
Use : Herbicide
Structural Formula :



Molinate

1.2 Company Identification

Manufacturer

Name and Address : Agricultural Chemicals (M) Sdn. Bhd.
962, Lorong Perusahaan 8,
Taman Perindustrian Perai,
13600 Perai, Pulau Pinang, Malaysia.
Telephone Number : 604-390 7988
Emergency Telephone Number : 604-390 7988

1.3 Contact Point

Designation : Ms. Cheong Wai Ching, Product Support Manager /
En. Ahmad Labib bin Yusof, Administrative Assistant
Tel. No. : 604-390 7988

MATERIAL SAFETY DATA SHEET

Introductory Details

Page 2 of total 7
Date of preparation : 26 April 2004
Date revised : 17 October 2008

SECTION 2 : COMPOSITION/INFORMATION ON INGREDIENT

Chemical Name	CAS No.	Proportion	Exposure Limit	Toxicity Data
S-ethyl hexahydro-1H-azepine- 1-carbothioate	2212-67-1	10 %	Refer to Section 9	Refer to Section 11
Carrier & Others	-	Balance		

SECTION 3 : PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Reddish granule
Odour : Aromatic
Solubility (technical) : 970 ppm in water
Soluble in most organic solvents.
Boiling Point (technical) : 136.5°C at 10 mmHg
Melting Point : Not applicable
Vapour Pressure (technical) : 5.6×10^{-3} mmHg at 25°C (slightly volatile)
Percentage Volatiles : No data available
Evaporation Rate : No data available
Vapour Density : No data available
Specific Gravity : No data available
Flash Point : Not applicable
Autoignition Temperature : No data available
Flammable Limit (%) : No data available

SECTION 4 : HAZARD IDENTIFICATION

Harmful by inhalation.
May cause birth defects.

MATERIAL SAFETY DATA SHEET

Introductory Details

Page 3 of total 7

Date of preparation : 26 April 2004

Date revised : 17 October 2008

SECTION 5 : FIRST AID MEASURES

KEEP STRICTLY AT REST AS CONTINUED MOVEMENT ENHANCES THE EFFECT OF CHOLINESTERASE INHIBITION

- Ingestion : If swallowed, seek medical advice immediately and show the container, label or this data sheet, if possible. Do not induce vomiting.
- Eye contact : Immediately rinse with clean water, holding the eyelids apart, for at least 15 minutes. Get prompt medical attention.
- Skin contact : Take off immediately all contaminated clothing. Wash skin immediately with plenty of water and soap.
- Inhalation : Remove patient to fresh air, keep warm and at rest. Obtain medical attention as a precaution.
- Notes to physician : Molinate is a cholinesterase inhibitor. DO NOT use if under medical advice not to work with such compound.
- Medical treatment : Atropine is the specific antidote and is given by physician, at a level of 2 - 5 mg (intramuscularly), every 20 minutes until atropinisation occurs. Considerable amounts of atropine may be necessary. Atropine MUST NOT be given to cyanosed patients; administer oxygen first. DO NOT use opiates or barbiturates. If convulsions occur, administer diazepam (10 mg intravenously). Take 10 ml of venous blood for determination of blood cholinesterase activity. Following ingestion, absorbents such as charcoal may be of value. If gastric lavage or emesis is considered necessary for oil-based or corrosive formulations, inhalation of gastric contents must be prevented.

SECTION 6 : FIRE FIGHTING MEASURES

- Extinguishing media : CO₂, dry chemical powder, foam, sand or earth may be used for small fire only. For large fire, use foam or water fog; avoid use of water jet. Contain run off water with, for example, temporary earth barriers.
- Fire fighting instruction : Fire fighters should wear full-faced self-contained breathing apparatus and impervious clothing such as gloves, hoods, suits and rubber boots. If drum are NOT leaking, keep cool with a water spray. High pressure water hose may spread product from broken containers increasing contamination hazards. Use of contaminated buildings, areas and equipment must be prevented until they are properly decontaminated.
- Special hazards : Combustion or thermal decomposition will evolve toxic and irritant vapours.
- Explosion hazard : Non-explosive.

MATERIAL SAFETY DATA SHEET

Introductory Details

Page 4 of total 7

Date of preparation : 26 April 2004

Date revised : 17 October 2008

Combustibility : Combustible. Keep fire exposed containers cool by spraying with water.

SECTION 7 : ACCIDENTAL RELEASE MEASURE

Leak and/or Spill :

Wear protective clothing as indicated in Section 8. Evacuate non essential personnel. Collect the spill into waste container for disposal. Wash the contaminated area with a little water and detergent. Adsorb with inert material such as clay or earth. Collect into the same container for disposal. Prevent the spillage from entering local drainage system.

SECTION 8 : HANDLING AND STORAGE

Handling : Read the label before use. Ensure suitable personal protection eg. face mask that give protection against organic vapour, eye protection, chemically resistant gloves, boots and overall. If required, use OSHA / NIOSH approved respirator for pesticides.

Storage : Keep in original container, tightly closed, in a cool dry and well-ventilated place, out of reach of children. Keep away from foodstuffs and animal feeds. Avoid contact with skin and eyes. Do not breathe vapour.

SECTION 9 : EXPOSURE CONTROL AND PERSONAL PROTECTION

- a. Exposure limit : Molinate Syngenta Standard (8hr TWA) : 0.4 mg/m³
- b. Engineering measures : Local exhaust ventilation
- c. Personal protection : Ensure suitable personal protection eg. face mask that give protection against organic vapour, eye protection, chemically resistant gloves, boot and overall. If required, use OSHA / NIOSH approved respirator for pesticides.

SECTION 10 : STABILITY AND REACTIVITY

- Conditions to avoid : Direct sunlight, heat and extreme temperature
- Incompatible : The product is relatively non-reactive and is not significantly corrosive to materials commonly used in the construction of process equipment, storage and shipping container. It is substantially biodegradable.

MATERIAL SAFETY DATA SHEET

Introductory Details

Page 5 of total 7
Date of preparation : 26 April 2004
Date revised : 17 October 2008

Decomposition products : Combustion or thermal decomposition will evolve toxic and irritant vapours.
Hazardous polymerization : No data available
Stability : Stable under normal conditions.

SECTION 11 : TOXICOLOGICAL INFORMATION (TECHNICAL)

Toxicity data :

Acute Oral LD₅₀ : (Rat) 575 - 730 mg/kg
Acute Dermal LD₅₀ : (Rat) > 4000 mg/kg
Inhalation LC₅₀ (4 hrs) : (Rat) male 2.91 mg/l
(Rat) female 1.39 mg/l
Eye irritation : Moderate irritant to rabbit
Skin irritation : Slight / mild irritant to rabbit
Skin sensitisation : It is not a skin sensitiser.
Carcinogenicity : No data available
Reproductive effect : No data available
Effects of overexposure : No data available
Chronic effects : There is no evidence of mutagenic or clastogenic potential. Studies in animals have shown that repeated doses do not produce teratogenic effects. Studies in animals have shown that repeated doses produce embryo/foetotoxic effects in the presence of maternal toxicity. The no-effect level was 35 mg/kg/day for developmental and maternal toxicity of rat. The no-effect level was 20 mg/kg/day for development and maternal toxicity of rabbit.
Target organs : No data available
Medical conditions generally aggravated by exposure : No data available

SECTION 12 : ECOLOGICAL INFORMATION (TECHNICAL)

Mobility & Bioaccumulation : The substance is predicted to have moderate mobility in soil. The substance has low potential for bioaccumulation.
Biodegradability : 1.7 % water degradability in 28 days.
Not readily biodegradable.
There is evidence of degradation in soil.
The substance is substantially biodegradable in soil.

MATERIAL SAFETY DATA SHEET

Introductory Details

Page 6 of total 7
Date of preparation : 26 April 2004
Date revised : 17 October 2008

Aquatic Toxicity : Very toxic to aquatic organisms.
LC₅₀ (96 hrs) : Rainbow trout 16 mg/l
EC₅₀ (48 hrs) : Daphnia magna 15 mg/l
EbC₅₀ (96 hrs) : Green algae 0.22 mg/l
ErC₅₀ (96 hrs) : Green algae 0.5 mg/l

SECTION 13 : DISPOSAL INFORMATION

Dispose of according to local regulation.

SECTION 14 : TRANSPORT INFORMATION

Follow the precaution indicated in the storage and handling section. Follow all regulations in your country.

SECTION 15 : REGULATORY INFORMATION

Pesticides Act : Class IV

CPL Regulations : Class - Harmful

Risk Phrases : R20 Harmful by inhalation
R47 May cause birth defect

Safety Phrases : S2 Keep out of reach of children
S9 Keep container in a well ventilated place
S13 Keep away from food, drink and animal feeding stuff
S38 In case of insufficient ventilation, wear suitable respiratory equipment
S53 Avoid exposure - obtain special instruction before use
S56 Do not discharge into drains or the environment, dispose of to an authorised waste collection point

MATERIAL SAFETY DATA SHEET

Introductory Details

Page 7 of total 7

Date of preparation : 26 April 2004

Date revised : 17 October 2008

SECTION 16 : OTHER INFORMATION

Reference : (a) Material Safety Data Sheet - Ordram 10-G
Date : 3-7-2001

(b) Material Safety Data Sheet - Ordram Technical
Date of preparation : 3rd March 2003

(d) Guidelines for The Classification of Hazardous Chemicals, DOSH 1997

(e) Guidelines for The Formulation of A Chemical Safety Data Sheet, DOSH 1997

(f) Guidelines for Labelling of Hazardous Chemicals, DOSH 1997

To the best of our knowledge, the information contained herein is accurate. However, we cannot assume any liability whatsoever for the accuracy or completeness of the information contained herein.